

*Celfrost*

The world's finest  
ideas in cooling!



## Chest Freezers from 100 ltrs to 700 ltrs.

Presenting world's finest range of chest freezers to suit every need, in one and two lid variants



Chest Freezer / Chiller  
CF-100/200/300



Double Lid Chest Freezer / Chiller  
CF-400/550



Two Lid Chest Freezer  
CF-600P R-404

## Glass Top Freezers from 108 Ltrs. to 550 Ltrs.



IKG-300C/400C



IKG-301/400



## Half Freezer / Half Cooler



CFCC-300

- Unique dual temperature design with 140 Ltr. freezing chamber and 160 Ltr. cooling chamber
- 2 separate lids for easy access to either chamber

- Largest range of Chest Freezers in India
- Green Range - CFC free refrigerants and Cyclopentane Insulation
- Tropicalized Design – Now with bigger compressor and improved body condenser size
- Ultra low energy consumption
- Faster cooling
- Longer holding

- Dual temperature
- 3 years warranty\*
- Toll free Service 1800-102-1980
- Biggest service team with pan India presence
- Improved packaging
- Available everywhere in India



## Technical Specification

| Product/Model Specification | Chest Freezers / Chillers |        |        |        |        |        |              | Half Freezer<br>Half Cooler | Glass Top Freezers / Chillers |               |         |         |           |           |           |
|-----------------------------|---------------------------|--------|--------|--------|--------|--------|--------------|-----------------------------|-------------------------------|---------------|---------|---------|-----------|-----------|-----------|
|                             | CF-100                    | CF-200 | CF-300 | CF-400 | CF-550 | CF-700 | CF-600P R404 |                             | CFCC-300                      | IKG-110       | IKG-301 | IKG-400 | IKG-300 C | IKG-400 C | IKG-500 C |
| Capacity (litres)           | 100                       | 194    | 279    | 328    | 450    | 670    | 535          | 256                         | 108                           | 276           | 355     | 235     | 300       | 550       |           |
| Dimension (mm)              | Width                     | 580    | 834    | 1104   | 1304   | 1580   | 2035         | 1795                        | 1236                          | 610           | 1066    | 1285    | 1020      | 1220      | 1626      |
|                             | Depth                     | 570    | 670    | 670    | 670    | 780    | 770          | 650                         | 606                           | 508           | 607     | 765     | 690       | 690       | 686       |
|                             | Height                    | 830    | 830    | 830    | 830    | 890    | 890          | 880                         | 906                           | 940           | 813     | 870     | 900       | 900       | 915       |
| Temperature Range***        | -20°C ~ +8°C              |        |        |        |        |        |              | -18°C                       | -18°C/10 ~ 10°C               | -18°C ~ -20°C |         |         |           |           |           |
| Wheels                      | Yes                       | Yes    | Yes    | Yes    | Yes    | Yes    | Yes          | Yes                         | Yes                           | Yes           | Yes     | Yes     | Yes       | Yes       | Yes       |
| Lock                        | Yes                       | Yes    | Yes    | Yes    | Yes    | Yes    | Yes          | Yes                         | Yes                           | Yes           | Yes     | Yes     | Yes       | Yes       | Yes       |
| Defrost                     | Manual                    | Manual | Manual | Manual | Manual | Manual | Manual       | Manual                      | Manual                        | Manual        | Manual  | Manual  | Manual    | Manual    | Manual    |
| Rated Load, Wattage         | 100                       | 125    | 165    | 210    | 158    | 300    | 295          | 150                         | 135                           | 240           | 280     | 230     | 260       | 310       |           |
| No. of Baskets/Shelves      | 1                         | 1      | 1      | 1      | 2      | 2      | 2            | 1                           | 1                             | 1             | 1       | 3       | 2         | 2         |           |
| No. of Lids/Doors           | 1                         | 1      | 1      | 2      | 2      | 2      | 2            | 2                           | 2                             | 2             | 2       | 2       | 2         | 2         |           |

\*\*\* Under Standard Test Conditions



## Upright Solid Door Freezers



BFS-150

BFS-345-S

## Showcase Freezers



NFG-200\*

NFG-450\*

NFG-1000A\*

## Showcase Coolers – from 120 ltrs to 1000 ltrs.



FKG-120

FKG-320

FKG-371

FKG-400

FKG-671

FKG-1000S

## Technical Specification

ISO 9001  
ISO 14001



| Product/Model Specification | Upright Solid Door Freezers |            | Upright Showcase Freezers |            |           | Island Showcases |        | Upright Showcase Coolers |         |            |         |            |           |          |    |
|-----------------------------|-----------------------------|------------|---------------------------|------------|-----------|------------------|--------|--------------------------|---------|------------|---------|------------|-----------|----------|----|
|                             | BFS-150                     | BFS-345-S  | NFG-200                   | NFG-450    | NFG-1000A | IL-450           | IL-550 | FKG-120                  | FKG-320 | FKG-371    | FKG-400 | FKG-671    | FKG-1000S | FKG-1000 |    |
| Capacity (litres)           | 142                         | 344        | 211                       | 578        | 1078      | 426              | 528    | 120                      | 234     | 381        | 320     | 570        | 1030      | 990      |    |
| Dimension (mm)              | Width                       | 533        | 595                       | 610        | 680       | 1360             | 1845   | 1960                     | 559     | 545        | 595     | 600        | 777       | 1200     | 50 |
|                             | Depth                       | 559        | 595                       | 711        | 700       | 700              | 795    | 915                      | 584     | 640        | 595     | 680        | 695       | 710      | 28 |
|                             | Height                      | 1143       | 1850                      | 992        | 1985      | 1985             | 935    | 980                      | 991     | 1730       | 1850    | 1995       | 1895      | 1980     | 82 |
| Temperature Range***        | -18°C ~ -22°C               |            |                           |            |           | ±18°C            |        | 0°C ~ 10°C               |         |            |         |            |           |          |    |
| Wheels                      | No                          | Yes (Rear) | Yes                       | Yes (Rear) | Yes       | Yes              | Yes    | No                       | Yes     | Yes (Rear) | Yes     | Yes (Rear) | Yes       | Yes      |    |
| Lock                        | No                          | Yes        | Yes                       | Yes        | Yes       | No               | No     | Yes                      | Yes     | Yes        | Yes     | Yes        | Yes       | Yes      |    |
| Defrost                     | Manual                      | Manual     | Auto                      | Auto       | Auto      | Manual           | Manual | NA                       | NA      | NA         | Manual  | NA         | NA        | NA       |    |
| Rated Load, Wattage         | 125                         | 140        | NA                        | 1000       | 1100      | 275              | 310    | 135                      | 220     | 350        | 230     | 470        | 1000      | 1000     |    |
| No. of Baskets/Shelves      | 5                           | 8          | 2                         | 5          | 8         | 4                | 6      | 1+2                      | 4       | 6          | 4       | 4          | 4+4       | 5        |    |
| No. of Lids/Doors           | 1                           | 1          | 1                         | 1          | 2         | 2                | 2      | 1                        | 1       | 1          | 1       | 1          | 2         | 2        |    |

• Specifications, features and colours are subject to change without any notice, due to continuous product development.

• Power supply requirements for all models : 220 Volts, 50 Hz, Single Phase

† These models are suitable for operation in environment upto 40°C

\* Suitable to work at 28°C ambient temperature



## Island Freezers / Coolers

This pioneering product from Celfrost comes in two different capacities – 450 litres and 580 litres. A revolutionary product, most ideal for supermarket application, this can also be used as an ice cream parlour showcase by installing a locally made glass canopy on top of the machine.



IL-450



IL-550



## **MIDDLEBY CELFROST**

### Middleby Celfrost Innovations (P) Ltd.

Corp. Office : Unit Nos. SF-713 – 716, 7th Floor, JMD Megapolis, Sohna Road, Sector 48, Gurgaon - 122 018, Haryana, India.  
Tel. : +91 124 482 8500, Fax : +91 124 427 9663, E-mail : corp@middlebycelfrost.com, Web : www.middlebycelfrost.com

#### Other Offices:

- NORTH:** Delhi/NCR : 9910100861/9599400253/8826394135 • UK/W.UP : 8826394135 • Jaipur/Rajasthan : 9839660071  
• Punjab/J&K/HP : 9888813024 • Eastern UP : 8130253694
- EAST:** West Bengal/Bihar/Jharkhand/Odisha : 9883033988 • West Bengal/North East India : 9339761988
- WEST:** Bhopal/MP : 8130253714 • Goa : 9321279405 • Mumbai/Maharashtra : 8080041471, 9321279405, 9769969850  
• Gujarat/Daman/Diu : 9375933335
- SOUTH:** AP/Telangana : 9346447254 • Bengaluru/Karnataka : 9341230302 • Chennai/Tamil Nadu : 9345509016  
• Cochin/Kerala : 9539611498 •

**Toll Free Customer Service No.: 1800-102-1980**

**ONE PARTNER. ONE TEAM. MANY SOLUTIONS.**



**For sales related queries - mail us at : sales@middlebycelfrost.com**